

| L Number | Hits | Search Text | DB | Time stamp |
|----------|------|---|---|------------------|
| - | 2471 | (translat\$4 or transform\$4 or convert\$4) near20 message same (format or protocol) and (route\$5 or routing or switch\$4) near20 message | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 14:37 |
| - | 1485 | @ad<20000413 and (translat\$4 or transform\$4 or convert\$4) near20 message same (format or protocol) and (route\$5 or routing or switch\$4) near20 message | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/01 16:33 |
| - | 202 | @ad<20000413 and ((translat\$4 or transform\$4 or convert\$4) near20 message same (format or protocol) same need\$4) and ((route\$5 or routing or switch\$4) near20 message) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/01 16:33 |
| - | 9 | @ad<20000413 and ((translat\$4 or transform\$4 or convert\$4) near20 message same (format or protocol) same need\$4) and ((route\$5 or routing or switch\$4) near20 message same servers) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 15:42 |
| - | 2 | 6278697.pn. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 15:01 |
| - | 2 | "20030069975" .pn. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 15:02 |
| - | 0 | @ad<20000413 and (content near3 (routing or router or switch\$4)).ab. and project adj management | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 15:45 |
| - | 5 | @ad<20000413 and (content near3 (routing or router or switch\$4)).detd. and project adj management | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 15:59 |
| - | 1008 | @ad<20000413 and (content near3 (routing or router or switch\$4)).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 16:00 |
| - | 7 | @ad<20000413 and (content near3 (routing or router or switch\$4)).ab. and project | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 16:04 |
| - | 28 | @ad<20000413 and (content near3 (routing or router or switch\$4) same message).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 16:48 |
| - | 0 | @ad<20000413 and (content near3 (routing or router or switch\$4) same message).ab. and business | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 16:49 |

| | | | | |
|---|----|--|---|------------------|
| - | 17 | @ad<20000413 and (content near3 (routing or router or switch\$4)).ab. and business | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 16:52 |
| - | 4 | @ad<20000413 and (content near3 (routing or router or switch\$4)).ab. and business same content | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 16:55 |
| - | 13 | @ad<20000413 and content near3 (routing or router or switch\$4) same business same content | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 16:59 |
| - | 3 | @ad<20000413 and content near3 (routing or router or switch\$4) same project same content | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 17:00 |
| - | 50 | @ad<20000413 and content near3 (routing or router or switch\$4) and (project or business) near10 content | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 17:00 |
| - | 37 | @ad<20000413 and content near3 (routing or router or switch\$4) and (project or business) near3 content | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 17:01 |
| - | 25 | @ad<20000413 and content adj3 (routing or router or switch\$4) and (project or business) near3 content | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 17:04 |
| - | 41 | @ad<20000413 and content adj3 (routing or router or switch\$4) and (project or business or commerce or transaction) near3 content | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 17:07 |
| - | 57 | @ad<20000413 and (route\$4 or routing or switch\$4) near3 message same (rout\$4 near3 tag\$2) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 17:27 |
| - | 54 | @ad<20000413 and (route\$4 or routing or switch\$4) near3 message same (rout\$4 near3 content) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 17:27 |
| - | 0 | @ad<20000413 and (route\$4 or routing or switch\$4) near3 message same (rout\$4 near3 content) same servers | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 17:28 |
| - | 54 | @ad<20000413 and (route\$4 or routing or switch\$4) near3 message same (rout\$4 near3 content) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 17:28 |

| | | | | |
|---|-----|--|---|------------------|
| - | 7 | @ad<20000413 and ((route\$4 or routing or switch\$4) near3 message same (rout\$4 near3 content)).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 17:31 |
| - | 2 | @ad<20000413 and content near2 switch\$4 same (project or business or transaction or task) same server | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 17:33 |
| - | 1 | @ad<20000413 and content adj2 (switch\$4 or router) same (project or business or transaction or task) same server | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 17:34 |
| - | 107 | @ad<20000413 and content adj server same (route\$2 or routing or switch\$4) same servers | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 17:35 |
| - | 0 | @ad<20000413 and content adj server same (route\$2 or routing or switch\$4) same servers and (businnes or project) near5 content | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 17:35 |
| - | 9 | @ad<20000413 and content adj server same (route\$2 or routing or switch\$4) same servers and (businnes or project) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 17:36 |
| - | 1 | @ad<20000413 and (content adj (switch\$4 or roter or routing)).ti. and business | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 17:37 |
| - | 53 | @ad<20000413 and (content adj (switch\$4 or roter or routing)).ti. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 17:40 |
| - | 3 | @ad<20000413 and (content adj (switch\$4 or roter or routing)).ab. and business | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 17:40 |
| - | 4 | @ad<20000413 and (content adj (switch\$4 or roter or routing)).ab. and transactions | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 17:42 |
| - | 137 | @ad<20000413 and (switch\$4 or routing o route\$4) near5 message near10 tag\$2 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 17:43 |
| - | 73 | @ad<20000413 and (switch\$4 or routing o route\$4) near2 message near10 tag\$2 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 17:43 |

| | | | | |
|---|-----|--|---|------------------|
| - | 22 | @ad<20000413 and ((switch\$4 or routing o route\$4) near2 message near10 tag\$2).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 17:46 |
| - | 5 | @ad<20000413 and (switch\$4 or routing o route\$4) near2 message near10 tag\$2 same servers | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 17:48 |
| - | 0 | @ad<20000413 and (content-base\$4 or (content adj base\$4)) adj3 (roter or routing or switch\$4) same (business or project\$ or aplication\$) same servers | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 17:50 |
| - | 3 | @ad<20000413 and (content-base\$4 or (content adj base\$4)) adj3 (roter or routing or switch\$4) same (business or project\$ or aplication\$) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 17:50 |
| - | 5 | @ad<20000413 and (((switch\$4 or route\$4 or routing\$4 or deliver\$4 or send\$4 or transmit\$4)) near5 message) same servers same tag | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 18:06 |
| - | 1 | @ad<20000413 and switch\$4 near5 message near10 tag and switch\$4 near5 server | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 18:08 |
| - | 49 | @ad<20000413 and switch\$4 near5 message near10 tag | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 18:09 |
| - | 34 | @ad<20000413 and switch\$4 near5 message same (route\$4 or routing or switch\$4) near3 tag | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 18:12 |
| - | 17 | @ad<20000413 and message near3 routing near3 tag | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 18:16 |
| - | 133 | @ad<20000413 and (routing adj tag).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 18:18 |
| - | 4 | @ad<20000413 and (routing adj tag near5 message).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 18:16 |
| - | 0 | @ad<20000413 and switch near5 message near10 server near10 tag | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 18:18 |

| | | | | |
|---|-----|---|---|------------------|
| - | 0 | @ad<20000413 and switch near5 message near10 server near10 tag | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 18:18 |
| - | 0 | @ad<20000413 and switch\$4 near5 message\$2 near10 server\$4 near10 tag\$4 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 18:19 |
| - | 0 | @ad<20000413 and switch\$4 near5 message\$2 near30 server\$4 near30 tag\$4 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 18:20 |
| - | 46 | @ad<20000413 and tag near5 switch\$4 near5 message | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 18:20 |
| - | 0 | @ad<20000413 and tag near5 switch\$4 near5 message near20 server | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 18:20 |
| - | 46 | @ad<20000413 and tag near5 switch\$4 near5 message | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 18:21 |
| - | 12 | @ad<20000413 and tag adj switch\$4 near5 message | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 18:23 |
| - | 9 | @ad<20000413 and message near5 routing adj tag | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 18:25 |
| - | 118 | @ad<20000413 and (route\$4 or routing or switch\$4) near20 message\$2 near20 based near3 (tag or content) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 18:26 |
| - | 34 | @ad<20000413 and (route\$4 or routing or switch\$4) near20 message\$2 near20 based near3 (tag or content) same network | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 18:26 |
| - | 8 | @ad<20000413 and (route\$4 or routing or switch\$4) near20 message\$2 near20 based adj3 (tag or content) same network | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 18:27 |
| - | 22 | @ad<20000413 and (route\$4 or routing or switch\$4) near20 message\$2 near20 (based adj3 (tag or content)) same network | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 18:37 |

| | | | | |
|---|-----|--|---|------------------|
| - | 2 | @ad<20000413 and 6216132.pn. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 18:38 |
| - | 0 | @ad<20000413 and switch near5 message near5 based near5 tag | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 18:38 |
| - | 79 | @ad<20000413 and (switch\$4 or routing) near5 message near5 tag | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/03 18:39 |
| - | 5 | @ad<20000413 and (switch\$4 or routing) near5 message near5 tag same header | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 09:40 |
| - | 252 | @ad<20000413 and (convert\$4 or transform\$4 or translat\$4) near5 (protocol or format) same validat\$4 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 09:42 |
| - | 96 | @ad<20000413 and (convert\$4 or transform\$4 or translat\$4) near5 (protocol or format) same (dtd or schema) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 10:00 |
| - | 3 | @ad<20000413 and "6393442" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 09:45 |
| - | 3 | @ad<20000413 and (convert\$4 or transform\$4 or translat\$4) near5 (xml same (wml or html or wml or sgml)) same (dtd or schema) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 10:18 |
| - | 0 | @ad<20000413 and xsl near20 (root adj element) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 10:18 |
| - | 5 | @ad<20000413 and xsl same (root adj element) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 10:59 |
| - | 4 | @ad<20000413 and xslt and (root adj element) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 11:05 |
| - | 6 | @ad<20001013 and xslt and (root adj element) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 11:05 |

| | | | | |
|---|------|--|---|------------------|
| - | 38 | @ad<20001013 and xml and (root adj element) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 11:06 |
| - | 6 | @ad<20001013 and xslt and (root adj element) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 11:09 |
| - | 15 | @ad<20001013 and xslt and ((root adj (element or tag)) or content or dtd or schema) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 12:12 |
| - | 9 | @ad<20001013 and "6278697" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 17:29 |
| - | 7988 | @ad<20001013 and (switching or routing) near10 (tag or content) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 12:16 |
| - | 407 | @ad<20001013 and (switching or routing) near10 message near10 (tag or content) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 12:16 |
| - | 53 | @ad<20001013 and (switching or routing) near10 message near10 based near3 (tag or content) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 12:16 |
| - | 50 | @ad<20000413 and (switching or routing) near10 message near10 based near3 (tag or content) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 12:25 |
| - | 9 | @ad<20000413 and (switching or routing) near10 message near10 based near3 (tag or (content same (quot\$5 or sales or purchase or business))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 12:27 |
| - | 9 | @ad<20000413 and (switching or routing) near10 message near10 based near3 (tag or (conten same (quot\$5 or sales or purchase or business))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 12:52 |
| - | 0 | @ad<20000413 and ((switching or routing) near10 message near10 based) near3 ((conten same (quot\$5 or sales or purchase or business))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 12:53 |
| - | 0 | @ad<20000413 and ((switching or routing) near10 message near10 based) near3 ((content same (quot\$5 or sales or purchase or business))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 12:54 |

| | | | | |
|---|------|---|---|------------------|
| - | 41 | @ad<20000413 and ((switching or routing) near10 message near10 based) near3 (content) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 12:54 |
| - | 23 | @ad<20000413 and ((switching or routing) near10 message) near10 based near3 (content) and (quot\$6 or business or sales or commerce or purchase or transactions) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 13:01 |
| - | 1 | @ad<20000413 and business near5 content near3 routing | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 13:44 |
| - | 3 | @ad<20000413 and (quot\$6 or business or sales or commerce or purchase or transactions) near5 (content\$12 adj3 routing) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 13:46 |
| - | 0 | @ad<20000413 and (quot\$6 or business or sales or commerce or purchase or transactions) near5 ((contet adj (router or routing)) or (content adj based adj (router or routing)) or (content-based adj (router or routing))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 13:47 |
| - | 3 | @ad<20000413 and (quot\$6 or business or sales or commerce or purchase or transactions) same ((contet adj (router or routing)) or (content adj based adj (router or routing)) or (content-based adj (router or routing))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 13:49 |
| - | 0 | @ad<20000413 and b2b and ((contet adj (router or routing)) or (content adj based adj (router or routing)) or (content-based adj (router or routing))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 13:49 |
| - | 0 | @ad<20000413 and b2b and ((content adj (router or routing)) or (content adj based adj (router or routing)) or (content-based adj (router or routing))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 13:49 |
| - | 135 | @ad<20000413 and (business or commerce) and ((content adj (router or routing)) or (content adj based adj (router or routing)) or (content-based adj (router or routing))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 13:50 |
| - | 5 | @ad<20000413 and (business or commerce) same ((content adj (router or routing)) or (content adj based adj (router or routing)) or (content-based adj (router or routing))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 13:54 |
| - | 1325 | @ad<20000413 and business adj transaction | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 13:55 |
| - | 0 | @ad<20000413 and business adj transaction same rout | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 13:55 |

| | | | | |
|---|-------|--|---|------------------|
| - | 91 | @ad<20000413 and business adj transaction same content | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 14:01 |
| - | 1 | @ad<20000413 and business adj transaction same content near4 (switch\$4 or router or routing or deliver\$4 or redirect\$4 or send\$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 14:03 |
| - | 10 | @ad<20000413 and (route or routing or switch\$4) near5 message near20 (routing adj tag) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 14:07 |
| - | 23 | @ad<20000413 and message near20 (routing adj tag) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 14:10 |
| - | 26 | @ad<20000413 and message near20 ((routing or switch\$4) adj tag) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 14:14 |
| - | 56 | @ad<20000413 and message near20 ((routing or switch\$4) near2 tag) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 14:14 |
| - | 0 | @ad<20001013 and "011713245" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 17:30 |
| - | 11437 | @ad<20001013 and "199812" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 17:30 |
| - | 0 | @ad<20001013 and "130155/199812" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 17:30 |
| - | 0 | @ad<20001013 and automatically same receiving same data same from same variaty same remote same sources | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 17:31 |
| - | 0 | @ad<20001013 and automatically same receiving same data same from same variety same remote same sources | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 17:31 |
| - | 39 | @ad<20001013 and "5715397" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 17:32 |

| | | | | |
|---|------|--|---|------------------|
| - | 2 | @ad<20001013 and 5715397.pn. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 19:07 |
| - | 1807 | @ad<20001013 and (Convert\$4 or translat\$4 or transform\$4) near10 (format or protocol) and (content near3 based) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 19:09 |
| - | 101 | @ad<20001013 and (Convert\$4 or translat\$4 or transform\$4) near10 (format or protocol) near10 message and (content near3 based) near5 message | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 19:10 |
| - | 13 | @ad<20001013 and (Convert\$4 or translat\$4 or transform\$4) near10 (format or protocol) near10 message same (content near3 based) near5 message | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/04 20:03 |
| - | 4 | @ad<20001013 and "2348083" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/07 08:58 |
| - | 12 | ("6278697" "6430624" "6477646" "6675219" "6286035" "5218676").pn. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/07 09:01 |
| - | 7 | "2348083" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/07 09:01 |